

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking**
1.1 Product identifier

· **Trade name:** GEEK BAR UP 10000 Fcuking Fab 20mg/mL

· **Trade Mark:** GEEK BAR

· **Flavour:** Fcuking Fab

· **Nicotine Conc.:** 20mg/mL

· **UFI:** UXJW-D0XA-H00J-2Q48

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the mixture** E-liquid used in E-cigarette

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

· **Zhuhai Qisitech CO., LTD**
No.600,Kexin First Road,High-tech Zone,Zhuhai City, Guangdong Province,
P.R.China

· **Contact:** Duan YunFei

Tel:+86 0756-3622837

Email: certificate@geekmiraclehk.com

Only Representative/ other EU contact point:

GREEN FUN FRANCE

34 AV DES CHAMPS ELYSEES 75008 PARIS

*Tel:*0044 2084 323 088

Email: support@geekvape.com

· **Further information obtainable from:** Zhuhai Qisitech CO., LTD

· **1.4 Emergency telephone number:** +86 0756-3622837

*** SECTION 2: Hazards identification**
2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3

H301 Toxic if swallowed.



GHS07

Acute Tox. 4

H312 Harmful in contact with skin.

Acute Tox. 4

H332 Harmful if inhaled.

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3

H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labeled according to the CLP regulation.

· **Hazard pictograms**



GHS06

(Contd. on page 2)

EU

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 1)

· Signal word Danger
· Hazard-determining components of labelling:

Nicotine benzoate

Ethyl maltol

Allyl hexanoate

2-Isopropyl-N,2,3-trimethylbutanamide

4-Hydroxy-2,5-dimethyl-3(2H)-furanone

Linalool

Allyl cyclohexanepropionate

· Hazard statements

H301 Toxic if swallowed.

H312+H332 Harmful in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.

· vPvB: Not applicable.

*** SECTION 3: Composition/information on ingredients**
· 3.2 Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 56-81-5	Glycerol substance with a Community workplace exposure limit	45.0%
CAS: 57-55-6	Propylene glycol substance with a Community workplace exposure limit	42.48%
CAS: 88660-53-1	Nicotine benzoate ◆ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ◆ Aquatic Chronic 2, H411 ATE: LD50 oral: 5 mg/kg LD50 dermal: 50 mg/kg LC50/4 h inhalative: 0.05 mg/l	3.1%
CAS: 4940-11-8 EINECS: 225-582-5	Ethyl maltol ◆ Acute Tox. 4, H302	1.84%

(Contd. on page 3)

EU

Safety Data Sheet
**According to Regulation (EC) No 1907/2006 and its amendment
 Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008**

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 2)

CAS: 51115-67-4	2-Isopropyl-N,2,3-trimethylbutanamide ⚠ Acute Tox. 4, H302	1.5%
CAS: 64-17-5	Ethanol ⚠ Flam. Liq. 2, H225	1.18%
CAS: 64-19-7	Acetic acid ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	0.57%
CAS: 3658-77-3 EINECS: 222-908-8	4-Hydroxy-2,5-dimethyl-3(2H)-furanone ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Sens. 1A, H317	0.33%
CAS: 78-70-6 EINECS: 201-134-4	Linalool ⚠ Skin Sens. 1B, H317	0.26%
CAS: 123-68-2 EINECS: 204-642-4	Allyl hexanoate ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 3, H412	0.17%
CAS: 2705-87-5 EINECS: 220-292-5	Allyl cyclohexanepropionate ⚠ Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1B, H317	0.15%
CAS: 140-11-4 EINECS: 205-399-7	Benzyl acetate Aquatic Chronic 3, H412	0.13%
CAS: 79-09-4	Propionic acid ⚠ Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	0.11%

Non-hazardous components

CAS: 104-67-6 EINECS: 203-225-4	Gamma-Undecalactone Aquatic Chronic 3, H412	0.66%
CAS: 2216-51-5 EINECS: 218-690-9	L-Menthol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.42%
CAS: 105-54-4	Ethyl butyrate ⚠ Flam. Liq. 3, H226; ⚠ Eye Irrit. 2, H319	0.4%
CAS: 121-33-5 EINECS: 204-465-2	Vanillin ⚠ Eye Irrit. 2, H319	0.33%
CAS: 134-20-3 EINECS: 205-132-4	Methyl anthranilate ⚠ Eye Irrit. 2, H319	0.29%
CAS: 68527-74-2	Vanillin PGA	0.22%
CAS: 123-66-0 EINECS: 204-640-3	Ethyl hexanoate ⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315	0.21%
CAS: 706-14-9	Gamma-Decalactone	0.19%
CAS: 928-96-1	Cis-3-Hexenol ⚠ Flam. Liq. 3, H226; ⚠ Eye Irrit. 2, H319	0.16%

(Contd. on page 4)

EU

Safety Data Sheet
*According to Regulation (EC) No 1907/2006 and its amendment
 Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008*

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 3)		
CAS: 97-64-3 EINECS: 202-598-0	<i>Ethyl lactate</i> Flam. Liq. 3, H226; Eye Dam. 1, H318; STOT SE 3, H335	0.1%
CAS: 142-92-7 EINECS: 205-572-7	<i>Hexyl acetate</i> Flam. Liq. 3, H226	0.1%
CAS: 7452-79-1	<i>Ethyl 2-methylbutyrate</i> Flam. Liq. 3, H226	0.1%

· *Additional information:* For the wording of the listed hazard phrases refer to section 16.

*** SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:**

Immediately remove any clothing soiled by the product.
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
 In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**

Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

*** SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**

Mouth respiratory protective device.
 Wear fully protective suit.
- **Protective equipment:** Mouth respiratory protective device.

*** SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Avoid contact with eyes.
 Avoid contact with skin.
- **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Dilute with plenty of water.

(Contd. on page 5)

EU

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 4)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

*

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *Store in a cool location.*

Information about storage in one common storage facility: *Store away from foodstuffs.*

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) *No further relevant information available.*

*

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerol

VL (Belgium)	Long-term value: 10 mg/m ³ (brouillard)
GVI (Croatia)	Long-term value: 10 mg/m ³
NPK (Czechia)	Short-term value: 15 mg/m ³ , 3.9 ppm
	Long-term value: 10 mg/m ³ , 2.6 ppm
AGW (Germany)	Long-term value: 200 E mg/m ³ 2 (I);DFG, Y
VLEP (France)	Long-term value: 10 mg/m ³
WEL (Great Britain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: (10) mg/m ³

57-55-6 Propylene glycol

GVI (Croatia)	Long-term value: 474* 10** mg/m ³ , 150* ppm *Ukopne Pare i Čestice; **Čestice
MAK (Germany)	als Dampf und Aerosol; vgl. Abschn. IIb und Xc

(Contd. on page 6)

EU

Safety Data Sheet
**According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008**

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 5)

WEL (Great Britain)	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
64-17-5 Ethanol	
VL (Belgium)	Long-term value: 1907 mg/m ³ , 1000 ppm
GVI (Croatia)	Long-term value: 1900 mg/m ³ , 1000 ppm
NPK (Czechia)	Short-term value: 3000 mg/m ³ , 1566 ppm Long-term value: 1000 mg/m ³ , 522 ppm
AGW (Germany)	Long-term value: 380 mg/m ³ , 200 ppm 4(I);DFG, Y
VLEP (France)	Short-term value: 9500 mg/m ³ , 5000 ppm Long-term value: 1900 mg/m ³ , 1000 ppm
WEL (Great Britain)	Long-term value: 1920 mg/m ³ , 1000 ppm
TWA (Italy)	Short-term value: 1884 mg/m ³ , 1000 ppm A3
64-19-7 Acetic acid	
IOELV (EU)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
VL (Belgium)	Short-term value: 38 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm
GVI (Croatia)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
NPK (Czechia)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm I
AGW (Germany)	Long-term value: 25 mg/m ³ , 10 ppm 2(I);DFG, EU, Y
VLEP (France)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
WEL (Great Britain)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
TWA (Italy)	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm
VL (Italy)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm
140-11-4 Benzyl acetate	
VL (Belgium)	Long-term value: 62 mg/m ³ , 10 ppm
TWA (Italy)	Long-term value: 61 mg/m ³ , 10 ppm A4
79-09-4 Propionic acid	
IOELV (EU)	Short-term value: 62 mg/m ³ , 20 ppm Long-term value: 31 mg/m ³ , 10 ppm
VL (Belgium)	Short-term value: 62 mg/m ³ , 20 ppm Long-term value: 31 mg/m ³ , 10 ppm

(Contd. on page 7)

EU

Safety Data Sheet
**According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008**

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 6)

GVI (Croatia)	Short-term value: 62 mg/m ³ , 20 ppm Long-term value: 31 mg/m ³ , 10 ppm
NPK (Czechia)	Short-term value: 60 mg/m ³ , 19.49 ppm Long-term value: 30 mg/m ³ , 9.74 ppm
AGW (Germany)	I Long-term value: 31 mg/m ³ , 10 ppm 2(I);EU, DFG, Y
VLEP (France)	Short-term value: 62 mg/m ³ , 20 ppm Long-term value: 31 mg/m ³ , 10 ppm
WEL (Great Britain)	Short-term value: 46 mg/m ³ , 15 ppm Long-term value: 31 mg/m ³ , 10 ppm
TWA (Italy)	Long-term value: 30 mg/m ³ , 10 ppm
VL (Italy)	Short-term value: 62 mg/m ³ , 20 ppm Long-term value: 31 mg/m ³ , 10 ppm

Additional information: The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

(Contd. on page 8)

EU

Safety Data Sheet
*According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008*

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C033303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 7)

Goggles recommended during refilling

· Body protection:

· Other

If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

Fluid

· Colour:

Yellow

· Odour:

Characteristic

· Odour threshold:

Data not available.

· Melting point/freezing point:

Data not available.

· Boiling point or initial boiling point and boiling range

Data not available.

· Flammability

Data not available.

· Lower and upper explosion limit

· Lower:

Data not available.

· Upper:

Data not available.

· Flash point:

>80°C

· Decomposition temperature:

Data not available.

· pH at 20°C

5.38

· Viscosity:

Data not available.

· Kinematic viscosity

Data not available.

· Dynamic:

Data not available.

· Solubility

Data not available.

· water:

Data not available.

· Partition coefficient n-octanol/water (log value)

Data not available.

· Vapour pressure:

Data not available.

· Density and/or relative density

1.1291 g/cm³

· Density at 20°C:

Data not available.

· Relative density

Data not available.

· Vapour density

Data not available.

· 9.2 Other information

· Appearance:

Liquid

· Form:

Product is not selfigniting.

· Ignition temperature:

Data not available.

· Explosive properties:

Data not available.

· Change in condition

Data not available.

· Evaporation rate

Data not available.

· Information with regard to physical hazard classes

· Explosives

Data not available.

· Flammable gases

Data not available.

· Aerosols

Data not available.

(Contd. on page 9)

EU

Safety Data Sheet
**According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008**

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 8)

· Oxidising gases	Data not available.
· Gases under pressure	Data not available.
· Flammable liquids	Data not available.
· Flammable solids	Data not available.
· Self-reactive substances and mixtures	Data not available.
· Pyrophoric liquids	Data not available.
· Pyrophoric solids	Data not available.
· Self-heating substances and mixtures	Data not available.
· Substances and mixtures, which emit flammable gases in contact with water	Data not available.
· Oxidising liquids	Data not available.
· Oxidising solids	Data not available.
· Organic peroxides	Data not available.
· Corrosive to metals	Data not available.
· Desensitised explosives	Data not available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

Toxic if swallowed.

Harmful in contact with skin or if inhaled.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	159 mg/kg
Dermal	LD50	1,598 mg/kg (ATE)
Inhalative	LC50/4 h	1.61 mg/l (ATE)

56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (rat)
------	------	--------------------

57-55-6 Propylene glycol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

88660-53-1 Nicotine benzoate

Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	50 mg/kg (ATE)
Inhalative	LC50/4 h	0.05 mg/l (ATE)

(Contd. on page 10)

EU

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 9)

4940-11-8 Ethyl maltol		
Oral	LD50	500 mg/kg (ATE)
51115-67-4 2-Isopropyl-N,2,3-trimethylbutanamide		
Oral	LD50	500 mg/kg (ATE)
64-17-5 Ethanol		
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
64-19-7 Acetic acid		
Oral	LD50	3,310 mg/kg (rat)
Dermal	LD50	1,060 mg/kg (rabbit)
3658-77-3 4-Hydroxy-2,5-dimethyl-3(2H)-furanone		
Oral	LD50	500 mg/kg (ATE)
78-70-6 Linalool		
Oral	LD50	2,790 mg/kg (rat)
Dermal	LD50	5,610 mg/kg (rabbit)
123-68-2 Allyl hexanoate		
Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)
2705-87-5 Allyl cyclohexanepropionate		
Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)
140-11-4 Benzyl acetate		
Oral	LD50	2,490 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
79-09-4 Propionic acid		
Oral	LD50	2,600 mg/kg (rat)
Dermal	LD50	500 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

EU

(Contd. on page 11)

Safety Data Sheet
**According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008**

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 10)

*	<p>SECTION 12: Ecological information</p> <ul style="list-style-type: none"> · 12.1 Toxicity · Aquatic toxicity: No further relevant information available. · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. · 12.7 Other adverse effects · Remark: Harmful to fish · Additional ecological information: · General notes: Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms
---	--

*	<p>SECTION 13: Disposal considerations</p> <ul style="list-style-type: none"> · 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · European waste catalogue <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">HP6</td><td>Acute Toxicity</td></tr> <tr> <td>HP14</td><td>Ecotoxic</td></tr> </table> · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. 	HP6	Acute Toxicity	HP14	Ecotoxic
HP6	Acute Toxicity				
HP14	Ecotoxic				

*	<p>SECTION 14: Transport information</p> <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA UN3144 · 14.2 UN proper shipping name · ADR 3144 NICOTINE COMPOUND, LIQUID, N.O.S. (Nicotine benzoate) · IMDG NICOTINE COMPOUND, LIQUID, N.O.S. (Nicotine benzoate) · IATA Nicotine compound, liquid, n.o.s. (Nicotine benzoate)
---	---

(Contd. on page 12)

EU

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 11)

· 14.3 Transport hazard class(es)
· ADR

· Class

6.1 (T1) Toxic substances.

· Label

6.1

· IMDG, IATA

· Class

6.1 Toxic substances.

· Label

6.1

· 14.4 Packing group
· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Warning: Toxic substances.

· Hazard identification number (Kemler code):

60

· EMS Number:

F-A,S-A

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information:
· ADR
· Limited quantities (LQ)

100 ml

· Excepted quantities (EQ)

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

2

· Transport category

D/E

· Tunnel restriction code
· IMDG

100 ml

· Limited quantities (LQ)

Code: E4

Maximum net quantity per inner packaging: 1 ml

Maximum net quantity per outer packaging: 500 ml

· Excepted quantities (EQ)
· UN "Model Regulation":

UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S.

(NICOTINE BENZOATE), 6.1, II

EU

(Contd. on page 13)

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C033303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 12)

*** SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.

(Contd. on page 14)

EU

Safety Data Sheet

According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 13)

H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Acute toxicity - oral	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Acute toxicity - dermal	
Acute toxicity - inhalation	
Skin sensitisation	
Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	

Organization issuing SDS:

Shenzhen Element Testing Co., Ltd.

101 of Plant 4, & 401 of Plant 2, No.76, Longling North Road, Pingxi, Pingdi Subdistrict, Longgang District, Shenzhen, Guangdong, China/518117

Contact:

Noel Yin

Email: info@element-testing.com

Date of previous version: 07.03.2025

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

(Contd. on page 15)

EU

Safety Data Sheet
*According to Regulation (EC) No 1907/2006 and its amendment
Regulation (EU) 878/2020, and Regulation (EC) No 1272/2008*

Printing date 10.03.2025

Version number 1

Report No.: ELE2503C03303

Trade name: GEEK BAR UP 10000 Fcuking Fab 20mg/mL

(Contd. of page 14)

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*· * Data compared to the previous version altered.*

EU